

```

EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDDD TTTTTTTTTTTTTTTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEEEEEEEEEEEEE DDD DDD TTT
EEEEEEEEEEEEEE DDD DDD TTT
EEEEEEEEEEEEEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEE DDD DDD TTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDDD TTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDDD TTT
EEEEEEEEEEEEEEEEEE DDDDDDDDDDDDDDD TTT

```

EXI

Mod

EDT

ED

ED
EDED
EDED
EDED
EDED
EDED
EDED
EDED
EDED
SYLBI
118

100

```

NN      NN      000000      000000      PPPPPPPP      EEEEEEEEEEE      NN      NN
NN      NN      000000      000000      PPPPPPPP      EEEEEEEEEEE      NN      NN
NN      NN      00      00      00      00      PP      PP      EE      NN      NN
NN      NN      00      00      00      00      PP      PP      EE      NN      NN
NNNN     NN      00      00      00      00      PP      PP      EE      NNNN     NN
NNNN     NN      00      00      00      00      PP      PP      EE      NNNN     NN
NN      NN      00      00      00      00      PPPPPPPP      EEEEEEEEE      NN      NN
NN      NN      00      00      00      00      PPPPPPPP      EEEEEEEEE      NN      NN
NN      NN      00      00      00      00      PP      PP      EE      NN      NN
NN      NNNN     00      00      00      00      PP      PP      EE      NN      NNNN
NN      NNNN     00      00      00      00      PP      PP      EE      NN      NNNN
NN      NN      00      00      00      00      PP      PP      EE      NN      NN
NN      NN      00      00      00      00      PP      PP      EE      NN      NN
NN      NN      000000      000000      PP      PP      EEEEEEEEEEE      NN      NN
NN      NN      000000      000000      PP      PP      EEEEEEEEEEE      NN      NN

```

```

LL      IIIIII      SSSSSSSS
LL      IIIIII      SSSSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SSSSSS
LL      II      SSSSSS
LL      II      SS
LL      II      SS
LL      II      SS
LL      II      SS
LLLLLLLLLLLL      IIIIII      SSSSSSSS
LLLLLLLLLLLL      IIIIII      SSSSSSSS

```

```
0001 0 %TITLE 'EDT$NOOPEN - OPEN error message'
0002 0 MODULE EDT$NOOPEN ( ! OPEN error message
0003 0 IDENT = 'V04-000' ! File: NOOPEN.BLI Edit: JBS1009
0004 0 ) =
0005 1 BEGIN
0006 1
0007 1 *****
0008 1 *
0009 1 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0010 1 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0011 1 * ALL RIGHTS RESERVED.
0012 1 *
0013 1 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0014 1 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0015 1 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0016 1 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0017 1 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0018 1 * TRANSFERRED.
0019 1 *
0020 1 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0021 1 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0022 1 * CORPORATION.
0023 1 *
0024 1 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0025 1 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0026 1 *
0027 1 *****
0028 1
0029 1
0030 1
0031 1 ++
0032 1 FACILITY: EDT -- The DEC Standard Editor
0033 1
0034 1 ABSTRACT:
0035 1
0036 1 OPEN error message
0037 1
0038 1 ENVIRONMENT: Runs at any access mode - AST reentrant
0039 1
0040 1 AUTHOR: Bob Kushlis, CREATION DATE: 6-AUG-1979
0041 1
0042 1 MODIFIED BY:
0043 1
0044 1 1-001 - Original. DJS 18-FEB-1981. This module was created by
0045 1 extracting routine EDT$$FIOPN_ERR from module EDTCTR.
0046 1 1-002 - Regularize header and fix file name and module name. JBS 04-Mar-1981
0047 1 1-003 - Use the new message codes. JBS 04-Aug-1981
0048 1 1-004 - If VMS don't execute any code. STS 10-Feb-1982
0049 1 1-005 - Put error messages back on VMS. STS 25-Feb-1982
0050 1 1-006 - Add CRLF's for EXT messages. SMB 02-Jul-1982
0051 1 1-007 - Most CRLFs no longer needed. JBS 05-Jul-1982
0052 1 1-008 - Move setting of reverse video. SMB 22-Jul-1982
0053 1 1-009 - Improve the appearance of the listing. JBS 17-Jun-1983
0054 1 --
0055 1
```


EDTSNOOPEN
V04-000

EDTSNOOPEN - OPEN error message
Declarations

H 13
16-Sep-1984 01:15:13
14-Sep-1984 12:24:00

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]NOOPEN.BLI;1 Page 2
(2)

```

57      0056 1 %SBTTL 'Declarations'
58      0057 1
59      0058 1
60      0059 1
61      0060 1
62      0061 1 REQUIRE 'EDTSRC:TRAROUNAM';
63      0500 1
64      0501 1 FORWARD ROUTINE
65      0502 1     EDT$$FIOPN_ERR : NOVALUE;
66      0503 1
67      0504 1
68      0505 1
69      0506 1
70      0507 1
71      0508 1 REQUIRE 'EDTSRC:EDTREQ';
72      0643 1
73      L 0644 1 %IF %BLISS (BLISS32)
74      0645 1 %THEN
75      0646 1
76      0647 1 REQUIRE 'EDTSRC:SYSSYM';
77      0677 1
78      0678 1 %FI
79      0679 1
80      0680 1
81      0681 1
82      0682 1
83      0683 1
84      0684 1
85      0685 1
86      0686 1
87      0687 1
88      0688 1
89      0689 1
90      0690 1
91      0691 1
92      0692 1
93      0693 1
94      0694 1
95      0695 1
```

%SBTTL 'Declarations'

TABLE OF CONTENTS:

REQUIRE 'EDTSRC:TRAROUNAM';

FORWARD ROUTINE
EDT\$\$FIOPN_ERR : NOVALUE;

INCLUDE FILES:

REQUIRE 'EDTSRC:EDTREQ';

%IF %BLISS (BLISS32)
%THEN

REQUIRE 'EDTSRC:SYSSYM';

%FI

MACROS:

NONE

EQUATED SYMBOLS:

NONE

OWN STORAGE:

NONE

EXTERNAL REFERENCES:

In the routine

! VMS system symbols

EDT
V04

```

97 0696 1 %SBTTL 'EDT$$FIOPN_ERR - OPEN error message'
98 0697 1
99 0698 1 GLOBAL ROUTINE EDT$$FIOPN_ERR (      ! OPEN error message
100 0699 1     MESS,                          ! Message to print first
101 0700 1     FILE_DESC                      ! address of file name on VMS
102 0701 1     ) : NOVALUE =
103 0702 1
104 0703 1 ++
105 0704 1 FUNCTIONAL DESCRIPTION:
106 0705 1
107 0706 1     Print an error message about failure to open a file.
108 0707 1     First a specified message is printed, then other messages
109 0708 1     including the file name.
110 0709 1
111 0710 1 FORMAL PARAMETERS:
112 0711 1
113 0712 1     MESS                          Number of the message to print first.
114 0713 1
115 0714 1 IMPLICIT INPUTS:
116 0715 1
117 0716 1     NONE
118 0717 1
119 0718 1 IMPLICIT OUTPUTS:
120 0719 1
121 0720 1     NONE
122 0721 1
123 0722 1 ROUTINE VALUE:
124 0723 1
125 0724 1     NONE
126 0725 1
127 0726 1 SIDE EFFECTS:
128 0727 1
129 0728 1     Prints a long message on the screen
130 0729 1
131 0730 1 --
132 0731 1
133 0732 2 BEGIN
134 0733 2
135 0734 2 EXTERNAL ROUTINE
136 0735 2     EDT$$SC_REVID,
137 0736 2     EDT$$TI_WRSTR,
138 0737 2     EDT$$FMT_STR,
139 0738 2     EDT$$FMT_MSG,
140 0739 2     EDT$$IO_ERRMSG,
141 0740 2     EDT$$MSG_TOSTR,
142 0741 2     EDT$$FMT_CRLF;      ! Terminate a line in the format buffer
143 0742 2
144 L 0743 2 %IF %BLISS (BLISS16)
145 U 0744 2 %THEN
146 U 0745 2
147 U 0746 2 EXTERNAL ROUTINE
148 U 0747 2     EDT$$GET_FNAM;
149 U 0748 2
150 0749 2 %FI
151 0750 2
152 0751 2 EXTERNAL
153 0752 2     EDT$$A_FMT_WRRUT;      ! Address of format output routine
```

EDT\$NOOPEN
V04-000

EDT\$NOOPEN - OPEN error message
EDT\$\$FIOPN_ERR - OPEN error message

J 13
16-Sep-1984 01:15:13
14-Sep-1984 12:24:00

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]NOOPEN.BLI;1
Page 4
(3)

```

154 0753 2
155 0754 2 MAP
156 0755 2 FILE_DESC : REF BLOCK [, BYTE];
157 0756 2
158 0757 2 MESSAGES ((FILNAM));
159 0758 2
160 0759 2 IF (.EDT$$A_FMT_WRRUT EQL EDT$$TI_WRSTR) THEN EDT$$SC_REVID ();
161 0760 2
162 0761 2 EDT$$FMT_MSG (.MESS);
163 0762 2
164 0763 2 IF (.EDT$$A_FMT_WRRUT EQL EDT$$TI_WRSTR) THEN EDT$$SC_REVID ();
165 0764 2
166 0765 2 EDT$$MSG_TOSTR (EDT$_FILNAM);
167 0766 2
168 L 0767 2 XIF XBLISS (BLISS32)
169 0768 2 XTHEN
170 0769 2 EDT$$FMT_STR (.FILE_DESC [DSC$A_POINTER], .FILE_DESC [DSC$W_LENGTH]);
171 U 0770 2 XELSE
172 U 0771 2 EDT$$GET_FNAM ();
173 0772 2 XFI
174 0773 2
175 0774 2 EDT$$FMT_CRLF ();
176 0775 2 EDT$$IO_ERRMSG ();
177 0776 1 END;
```

! of routine EDT\$\$FIOPN_ERR

.TITLE EDT\$NOOPEN EDT\$NOOPEN - OPEN error message
.IDENT \V04-000\

.EXTRN EDT\$\$SC_REVID, EDT\$\$TI_WRSTR
.EXTRN EDT\$\$FMT_STR, EDT\$\$FMT_MSG
.EXTRN EDT\$\$IO_ERRMSG, EDT\$\$MSG_TOSTR
.EXTRN EDT\$\$FMT_CRLF, EDT\$\$A_FMT_WRRUT
.EXTRN EDT\$_FILNAM

.PSECT _EDT\$CODE, NOWRT, SHR, PIC, 2

			001C	00000		.ENTRY	EDT\$\$FIOPN_ERR, Save R2,R3,R4	: 0698
54	00000000G	00	9E	00002		MOVAB	EDT\$\$TI_WRSTR, R4	
53	00000000G	00	9E	00009		MOVAB	EDT\$\$SC_REVID, R3	
52	00000000G	00	9E	00010		MOVAB	EDT\$\$A_FMT_WRRUT, R2	
50		64	9E	00017		MOVAB	EDT\$\$TI_WRSTR, R0	: 0759
50		62	D1	0001A		CMPL	EDT\$\$A_FMT_WRRUT, R0	
		03	12	0001D		BNEQ	1\$,	
63		00	FB	0001F		CALLS	#0, EDT\$\$SC_REVID	
		AC	DD	00022	1\$:	PUSHL	MESS	: 0761
00000000G	00	01	FB	00025		CALLS	#1, EDT\$\$FMT_MSG	
50		64	9E	0002C		MOVAB	EDT\$\$TI_WRSTR, R0	: 0763
50		62	D1	0002F		CMPL	EDT\$\$A_FMT_WRRUT, R0	
		03	12	00032		BNEQ	2\$,	
63		00	FB	00034		CALLS	#0, EDT\$\$SC_REVID	
	00000000G	8F	DD	00037	2\$:	PUSHL	#EDT\$_FILNAM	: 0765
00000000G	00	01	FB	0003D		CALLS	#1, EDT\$\$MSG_TOSTR	
50		AC	DD	00044		MOVL	FILE_DESC, R0	: 0769
7E		60	3C	00048		MOVZWL	(R0) - (SP)	
		A0	DD	0004B		PUSHL	4(R0)	
00000000G	00	02	FB	0004E		CALLS	#2, EDT\$\$FMT_STR	

EDT\$NOOPEN
V04-000

EDT\$NOOPEN - OPEN error message
EDT\$\$FIOPN_ERR - OPEN error message

K 13
16-Sep-1984 01:15:13
14-Sep-1984 12:24:00

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]NOOPEN.BLI;1

Page 5
(3)

00000000G 00 00 FB 00055
00000000G 00 00 FB 0005C
04 00063

CALLS #0, EDT\$\$FMT_CRLF
CALLS #0, EDT\$\$IO_ERRMSG
RET

: 0774
: 0775
: 0776

; Routine Size: 100 bytes, Routine Base: _EDT\$CODE + 0000

: 178 0777 1
: 179 0778 1 !<BLF/PAGE>

EDT\$NOOPEN
V04-000

EDT\$NOOPEN - OPEN error message
EDT\$\$FIOPN_ERR - OPEN error message

L 13
16-Sep-1984 01:15:13
14-Sep-1984 12:24:00

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[EDT.SRC]NOOPEN.BLI;1
Page 6
(4)

: 181 0779 1 END
: 182 0780 1
: 183 0781 0 ELUDOM

! of module EDT\$NOOPEN

PSECT SUMMARY

Name	Bytes	Attributes
_EDT\$CODE	100	NOVEC,NOWRT, RD , EXE, SHR, LCL, REL, CON, PIC,ALIGN(2)

Library Statistics

File	----- Total	Symbols Loaded	----- Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[EDT.SRC]EDT.L32;1	377	1	0	40	00:00.2
_\$255\$DUA28:[EDT.SRC]PSECTS.L32;1	2	1	50	7	00:00.1
_\$255\$DUA28:[SYSLIB]STARLET.L32;1	9776	2	0	581	00:04.1

COMMAND QUALIFIERS

: BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/NOTRACEBACK/LIS=LIS\$:NOOPEN/OBJ=OBJ\$:NOOPEN MSRC\$:NOOPEN.BLI/UPDATE=(ENH\$:NOOPEN)

: Size: 100 code + 0 data bytes
: Run Time: 00:16.0
: Elapsed Time: 00:26.8
: Lines/CPU Min: 2928
: Lexemes/CPU-Min: 8160
: Memory Used: 79 pages
: Compilation Complete

0137 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

LXCOMM00
LIS

MCGETLIN
LIS

MCRIGHT
LIS

MCCHANGE
LIS

MACCAL
LIS

NOOPEN
LIS

PRAPPNLM
LIS

MSGTXT
LIS

PRGETTOK
LIS

PRISTOK
LIS

LXPRINT
LIS

MCTOP
LIS

MCDOWN
LIS

MCLEFT
LIS

MCBOTTOM
LIS

PAUDIT
LIS

PRGETCHR
LIS

LXCOM
LIS

MAIN
LIS

MCUP
LIS